

Retrieving Articles

All API URLs listed here must be prefixed by the root API URL.

Example: <http://domain.com/kb/> or <https://kb.domain.com/>

Retrieve an Article

GET api.php?call=articles&id=[id]

Arguments:

- **skip_hit** (optional) - Do not count entry hit. If this argument is omitted, it defaults to 0.
- **img_rpath** (optional) - Use relative path for images in article body instead of absolute path. If this argument is omitted, it defaults to 0.

List of Articles

GET api.php?call=articles

Arguments:

- **cid** (optional) - The id of the category. If specified, only articles posted to the category will be returned.
- **method** (optional) - Specifies method. If specified, **sort** and **page** argument will be ignored.
Valid values include:
 - recent (recently updated articles will be returned).
 - popular (most viewed articles will be returned).
 - featured (featured articles will be returned).
- **limit** (optional) - Number of articles to return per page. If this argument is omitted, it defaults to 10. The maximum allowed value is 100.
- **page** (optional) - The page number of results to return. If this argument is omitted, it defaults to 1.
- **sort** (optional) - Specifies how to sort results. If this argument is omitted, it defaults to *date-updated-desc*.
Valid values include: title-asc, title-desc, order-asc, order-desc, date-posted-asc, date-posted-desc, date-updated-asc, date-updated-desc, hits-asc, hits-desc, rating-asc, rating-desc.

Article ID: 382

Last updated: 30 Oct, 2019

Updated by: Leontev E.

Revision: 16

Developer Manual -> API -> Retrieving Articles

<https://www.kbpublisher.com/kb/entry/382/>